

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	569	(trench or opening or hole or via or window or groove or aperture or housing or gap or container or recess or cavity) with (dope or dopes or doped or doping or dopant) with (poly or polysilicon or "poly silicon" or "poly-silicon" or "poly Si" or "poly-Si" or "polycrystalline silicon" or "polycrystalline-silicon" or "polycrystalline Si" or "polycrystalline-Si") with (passivation or SiN or Si3N4 or "Si.sub.3N.sub.4" or "Si.sub.3 N.sub.4" or "silicon nitride" or "silicon-nitride" or "Si nitride" or "Si-nitride" or "silicon N" or "silicon-N")	US-PGPUB; USPAT	OR	ON	2005/03/16 14:40
L2	4130792	@ad<"20030812"	US-PGPUB; USPAT	OR	ON	2005/03/16 14:42
L3	538	L1 and L2	US-PGPUB; USPAT	OR	ON	2005/03/16 14:42
L4	227	(trench or opening or hole or via or window or groove or aperture or housing or gap or container or recess or cavity) with (dope or dopes or doped or doping or dopant) with (poly or polysilicon or "poly silicon" or "poly-silicon" or "poly Si" or "poly-Si" or "polycrystalline silicon" or "polycrystalline-silicon" or "polycrystalline Si" or "polycrystalline-Si") with (passivation or SiN or Si3N4 or "Si.sub.3N.sub.4" or "Si.sub.3 N.sub.4" or "silicon nitride" or "silicon-nitride" or "Si nitride" or "Si-nitride" or "silicon N" or "silicon-N") with (oxide or O2 or O or "O.sub.2" or "O.sub.x")	US-PGPUB; USPAT	OR	ON	2005/03/16 14:42
L5	4471	((438/243) or (438/244) or (438/246) or (438/249) or (438/386) or (438/387) or (438/389) or (438/392) or (438/396) or (348/514) or (438/522) or (438/524) or (438/530) or (438/542)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/16 14:43

L6	2167	((438/561) or (438/563) or (438/660) or (438/680) or (438/914) or (438/923) or (438/958) or (438/961)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/16 14:43
L7	6528	L5 or L6	US-PGPUB; USPAT	OR	ON	2005/03/16 14:43
L8	569	(trench or opening or hole or via or window or groove or aperture or housing or gap or container or recess or cavity) with (dope or dopes or doped or doping or dopant) with (poly or polysilicon or "poly silicon" or "poly-silicon" or "poly Si" or "poly-Si" or "polycrystalline silicon" or "polycrystalline-silicon" or "polycrystalline Si" or "polycrystalline-Si") with (passivation or SiN or Si3N4 or "Si.sub.3N.sub.4" or "Si.sub.3 N.sub.4" or "silicon nitride" or "silicon-nitride" or "Si nitride" or "Si-nitride" or "silicon N" or "silicon-N")	US-PGPUB; USPAT	OR	ON	2005/03/16 14:44
L9	4130792	@ad<"20030812"	US-PGPUB; USPAT	OR	ON	2005/03/16 14:44
L10	538	L8 and L9	US-PGPUB; USPAT	OR	ON	2005/03/16 14:44
L11	227	(trench or opening or hole or via or window or groove or aperture or housing or gap or container or recess or cavity) with (dope or dopes or doped or doping or dopant) with (poly or polysilicon or "poly silicon" or "poly-silicon" or "poly Si" or "poly-Si" or "polycrystalline silicon" or "polycrystalline-silicon" or "polycrystalline Si" or "polycrystalline-Si") with (passivation or SiN or Si3N4 or "Si.sub.3N.sub.4" or "Si.sub.3 N.sub.4" or "silicon nitride" or "silicon-nitride" or "Si nitride" or "Si-nitride" or "silicon N" or "silicon-N") with (oxide or O2 or O or "O.sub.2" or "O.sub.x")	US-PGPUB; USPAT	OR	ON	2005/03/16 14:46
L12	216	L9 and L11	US-PGPUB; USPAT	OR	ON	2005/03/16 14:46
L13	35	L7 and L12	US-PGPUB; USPAT	OR	ON	2005/03/16 14:47

L14	7	(("20020066917") or ("6518118") or ("5795804") or ("5521111") or ("5360758") or ("5677228") or ("6506655")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/16 14:48
-----	---	---	--------------------	----	-----	------------------

